

# StreetPro Classic and Display United States

Version 2019.06.0

Release Notes



# Table of Contents

## 1 - Overview

---

Overview	4
Product Variants	5

## 2 - What's New

---

What's new in this version	8
----------------------------	---

## 3 - Data Statistics

---

Overview	10
United States	10

## 4 - Known Issues

---

Known Issue	14
-------------	----

## 5 - Copyright/Licensing Information

---

Copyright and Licensing Information	16
Getting Support	17

# 1 - Overview

## In this section

---

Overview	4
Product Variants	5

# Overview

This document outlines what's new in the datasets, the data statistics, and the known issues, if any, for current data release. For the latest product features and other details, see the StreetPro Classic and Display Product Guide, which is available at:

<http://www.pbinsight.com/support/product-documentation/details/streetpro>

## Benefits

- To maintain accuracy of the data used in your applications, this data update provides access to the very latest street level mapping.
- To provide your customers with detailed spatial information, show them simple maps of your locations, facilities and assets, and make savings through understanding your spread of customers, real estate, fleet of vehicles, workforce.
- To expand your coverage with StreetPro data that is available in the same format for over 75 countries, contact your local Pitney Bowes reseller or visit [www.pitneybowes.com/us](http://www.pitneybowes.com/us) for more details.
- To stay up to the minute, you can deploy StreetPro® with the very latest Pitney Bowes software packages, using a range of provided workspace formats.

## Features

- Over 40 layers of data structured logically to help you choose what is important and useful for your particular application.
- Workspaces are pre-defined and included. These can take the form of any of the following: WOR files for use with MapInfo Professional, or MWS files for use with MapXtreme, and Spectrum Spatial support for opening StreetPro data in Pitney Bowes Spectrum Spatial Software. The inclusion of the workspaces mean that you can benefit from Pitney Bowes' data expertise by accessing them straight away to get data loaded, and in use immediately.

## Metadata

- A metadata xml file; 'SPro\_Metadata\_XXXX\_MM.xml' is included to provide information about the data.

**Note:** In the above statement XXXX denotes the year and MM denotes month.

- A stylesheet is included to make the metadata xml file easier to read and understand.
- StreetPro metadata xml files are ISO 19139-compliant

## Product Variants

### *StreetPro Display*

**StreetPro Display** (1:10,000 scale) combines the most comprehensive national road network in the world with a large-scale digital map base. Street networks are chained for fast rendering with no loss of detail and split by road classification layers to enhance map display. Multiple layers of information including railways, international and administrative boundaries, urban areas, comprehensive geographical points of interest, coastlines, waterbodies, land cover and gazetteers provide a foundation for map production and enable fast display of background reference maps. Equal maintenance of both metropolitan and regional areas ensures consistent coverage on a national scale. StreetPro Display enables complete, country-wide mapping for more than 100 countries.

Visit <https://www.pitneybowes.com/us/data/street-data/contextual-map-data.html> for more information.

### *StreetPro Classic*

**StreetPro Classic** (1:10,000 scale), combines all the **StreetPro Display** features with authoritative address ranges on each segment, providing a foundation for:

- Map production
- Routing (where absolute route accuracy is not required)
- Low volume geocoding
- Low resolution reverse geocoding
- Business analysis and more

Visit <https://www.pitneybowes.com/us/data/street-data/address-data.html> for more information.

### *StreetPro Navigation Premium*

**StreetPro Navigation Premium** (1:10,000 scale) combines all the **StreetPro Classic** features with premium navigational information that adds the ability to calculate the most precise, efficient route between points on a road network, taking average *speed profiles* for time of day and *vehicle height, width, and weight restrictions* into account.

Visit <https://www.pitneybowes.com/us/data/street-data/road-travel-data.html> for more information.

### *StreetPro Traffic*

**StreetPro Traffic** (1:10,000 scale) aligns probe data collected from mobile and navigation devices with StreetPro street segments to provide indicative traffic volumes by time of day, day of week and month. This add-on pack is compatible with **StreetPro Navigation Premium**.

Visit <https://www.pitneybowes.com/us/data/street-data/traffic-data.html> for more information.

### ***World StreetPro***

**World StreetPro** (1:500,000 scale) is an intermediate level digital map base for graphic output, and backdrop mapping. It includes roads, railways, international and administrative boundaries, urban areas, coastlines, waterbodies, land cover, gazetteers and more. World StreetPro can be used seamlessly with other Pitney Bowes Data offerings to achieve robust solutions.

Visit <https://www.pitneybowes.com/us/data/street-data/road-data.html> for more information.

# 2 - What's New

## In this section

---

What's new in this version

8

## What's new in this version

Following are the highlights and improvements in this release.

### United States

- Speed limits (ADA-SpeedRestriction) have been added or updated on 79500 km of roads in the USA.
- Ordinance U-turn restrictions have been implemented on dual carriageways for the whole country: 8 state-wide ordinances and 220 county ordinances have been implemented resulting in the addition of 54856 implicit turn restrictions in 367 cities and counties to prevent U-turns.
- Ordinances prohibiting U-Turns due to visibility at hills or curves have not been implemented.
- More than 8500 traffic restrictions have been updated (ordinance U-turns not included).
- Approximately 38000 km of extra road geometry has been added, mainly local roads and parking geometry. Also, 187 new high-road-class roads have been updated.
- Lane information (ADA-LaneAtJunction) has been updated for around 140000 junctions of Net 2 Class 0-3.
- Updated the House Number Ranges on 471229 km of streets in the USA using Address Points to calibrate these ranges.
- Street Names updated for 34670 km of road geometry.
- The dataset name for American Samoa has been changed from UAS to the ISO country code ASM.
- The dataset name for the Northern Mariana Islands has been changed from UMP to the ISO country code MNP.



# 3 - Data Statistics

## In this section

---

Overview	10
United States	10

## Overview

This section provides the feature counts information for the United States.

## United States

Following are the stats for the United States.

**Table 1: Feature Counts Comparison**

Table	Description	Counts 2019.03.0	Counts 2019.06.0
AP	Airports	6912	6912
UA	Urban Areas	17625	17610
CB	City Boundaries	31212	31214
CY	County	3221	3221
SP	Sign Posts	249135	249205
EX	Expressways	48353	45576
GZ1	Top US Cities for display at 2500 - 5000miles	85	85
GZ2	Top city in each DMA for display at 750 -2500 miles	411	411
GZ3	Top city in each BTA for display at 400 -750 miles	948	948
GZ4	Top city in each county for display at 125 -400 miles	34433	34433

Table	Description	Counts 2019.03.0	Counts 2019.06.0
GZ5	Top 3 cities in each county for display at 50– 125 miles	35209	35208
GZ6	Cities with TotPop > 0 and not in 1-5 for display at 13 - 50 miles	36329	36328
GZ7	Everything else for display at 0 - 13 miles	123525	123530
LR	Local Routes	760444	739536
LHM	Local Highways Medical	382892	375816
RH	Regional Highways	155900	148583
LU	Land Use	146188	146636
OW	One Way	189484	188919
RR	Rail Roads	437389	437671
PH	Primary Highways	32190	30191
PHM	Primary Highways Medical	80543	76518
LM	Landmarks	400149	400149
SH	Secondary Highways	161992	156789
SHM	Secondary Highways Medical	695204	668844
S	Streets	38796690	38242664
FY	Ferries	1577	1586
TO	Towns	36513	36513
WB	Water Bodies	695929	696890

Table	Description	Counts 2019.03.0	Counts 2019.06.0
WR	Rivers	3052801	3053399
IX1	Interstate Highway Shields for display at 0-5 miles	45230	44132
IX2	Interstate Highway Shields for display at 5-15 miles	22924	22336
IX3	Interstate Highway Shields for display at 15-50 miles	7004	6838
UX1	U.S Highway Shields for display at 0-5 miles	59113	57297
UX2	U.S Highway Shields for display at 5-15 miles	29229	28343
UX3	U.S Highway Shields for display at 15-50 miles	8567	8300
SX1	U.S State Highway Shields for display at 0-5 miles	126319	123963
SX2	U.S State Highway Shields for display at 5-15 miles	58265	57092
SX3	U.S State Highway Shields for display at 15-50 miles	13524	13199
CX1	County Highway Shields for display at 0-5 miles	46848	46891
CX2	County Highway Shields for display at 5-15 miles	20969	21008
CX3	County Highway Shields for display at 15-50 miles	4382	4384
GC	Geocoder	56801389	57211763

# 4 - Known Issues

## In this section

---

Known Issue

14

## Known Issue

There are no issues found in the data for this release.

# 5 - Copyright/Licensing Information

## In this section

---

Copyright and Licensing Information	16
Getting Support	17

## Copyright and Licensing Information

Information in this document is subject to change without notice and does not represent a commitment on the part of the vendor or its representatives. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying without the written permission of Pitney Bowes Software Inc.

© 2019 Pitney Bowes Software Inc. All rights reserved. MapInfo®, MapInfo Professional® and MapXtreme® are registered trademarks of Pitney Bowes Limited and/or its affiliates.

Products named herein may be trademarks of their respective manufacturers and are hereby recognised. Trademarked names are used editorially, to the benefit of the trademark owner, with no intent to infringe on the trademark. Adobe Acrobat® is a registered trademark of Adobe Systems.

© 2006-2019 TomTom. All rights reserved. This material is proprietary and the subject of copyright protection, database right protection and other intellectual property rights owned by TomTom or its suppliers. The use of this material is subject to the terms of a license agreement. Any unauthorized copying or disclosure of this material will lead to criminal and civil liabilities.

for TomTom® MultiNet® data of Austria: "© BEV, GZ 1368/2003".

for TomTom® MultiNet® data of Denmark: "© DAV, violation of these copyrights shall cause legal proceedings."

for TomTom® MultiNet® data of France: "© IGN France." "Georoute © IGN France.", "Michelin data © Michelin 2009."

for TomTom® MultiNet® data of Northern Ireland: "Ordnance Survey of Northern Ireland."

for TomTom® MultiNet® data of Norway: "© Norwegian Mapping Authority, Public Roads Administration / ©Mapsolutions."

for TomTom® MultiNet® data of Russia: "© Roskartographia".

for TomTom® MultiNet® data of Switzerland: "© Swisstopo."

for TomTom® MultiNet® data of The Netherlands: "Topografische ondergrond Copyright © dienst voor het kadaster en de openbare registers, Apeldoorn 2006." for TomTom® MultiNet® data of the United Kingdom (excluding Northern Ireland).

This product includes mapping data licensed from:

Survey with the permission of the Controller of Her Majesty's Stationery Office. Ordnance Survey © Crown Copyright 2013. All right reserved. Licence number 100020348."

UK TMC codes: "The RDS-TMC traffic information with TMC location table version number (6G) 3.4, 4.5 and 4.6 from ITIS contained in this product is derived of the ITIS TMC location table and is subject to the terms of limitation or exclusion of liability of the license agreement between TomTom and ITIS. Usage of this TMC table is subject to contract to be made



### *License*

The product is supplied under the terms and conditions specified in the separate Licence Agreement(s). Failure to comply with the terms

and conditions may lead to the termination of the licence(s). Customers wishing to install or copy the Data onto more than one computer should apply for a Multi-user Licence. Customers wishing to provide a bureau service for others or to use the Data for the benefit of or on behalf of any others should apply for a Bureau Licence or a Special Licence.

Pitney Bowes is making Adobe Acrobat® Reader (the "Software") available to you as a convenience to allow you to easily view and print the documentation in .pdf file format. This should not be construed as an endorsement of Adobe Systems Incorporated or its products. Use of the Software is governed by the terms and conditions of the end user license agreement which is included in the Software. Pitney Bowes makes no representations or warranties, express or implied, with respect to the accuracy, reliability or completeness of the Software. The entire risk as to the use of the Software is assumed by you. In no event shall Pitney Bowes be liable to you or any other person, regardless of the cause, for the effectiveness or accuracy of the Software or for any special, indirect, incidental or consequential damages arising from or occasioned by your use of the Software, even if advised of the possibility of such damages.

For further information on Pitney Bowes corporate mailing addresses, please refer to this [link](#).

## Getting Support

If you have any questions or concerns, you may contact our support team directly by phone or email:

### *Software Support*

- **Call:** 1.800.367.6950
- **Email:** [software.support@pb.com](mailto:software.support@pb.com)

### *Technical Support*

- **Visit:** <https://www.pitneybowes.com/us/support.html>

### *Global Contact*

For global contacts information on different software solution products kindly visit the link shared below:

<https://www.pitneybowes.com/us/contact-dcs.html>



3001 Summer Street  
Stamford CT 06926-0700  
USA

[www.pitneybowes.com](http://www.pitneybowes.com)